



## CARGO-FORCE® —Polyester Lashing Belt



**Polyester Lashing Belt** is made of high multi-fiber polyester polymer. With outstanding performance over the traditional steel and PP strap, it is a safe, efficient and economical substitute of steel strap for cargos' fixing and binding. Due to its flexibility and toughness, it is easy to fold and suitable for the application in cargo transportation, movement, shipping and storage with the special buckle. It is safe, reliable, portable, easy handling, and not to be off after locking up, protecting the cargo from damage. .

### Features:


Material: Polyester, Nylon

Standard: European standard EN12195-2 AS/NZS 4380

Length: As customers' request.

Scope: -40°C – 100°C

Safety factor: 2: 1



### Application pictures



(Click for large pictures)

### Advantages:

#### Shock-absorbency

Due to the elongation recovery, **Polyester Lashing Belt** absorbs shocks much better than steel strapping, and it will not lose its tension if the load contracts or expands.

#### Strength

It is as strong as steel with comparable break strength to conventional steel banding. It is also five times lighter allowing for ease and flexibility of use.



### **Safety**

It has no sharp edges when cut, and it does not spring back like steel banding. This quality offers protection for employees, customers and machinery, while giving you an inexpensive alternative to steel strapping

### **Cost effective**

It is a cost effective alternative to steel strapping. And it eliminates the "hidden costs" of steel banding - such as damaged products, downtime, worker's compensation, tooling and repair costs.

### **Protection**

The soft and flexible texture of the strapping protects the most sensitive products. It is safe on virtually all surfaces which minimizes waste and eliminates costly re-work. The Polyester Strapping corded polyester does not corrode, rust, or stain your products, and will not damage forklift tires.

### **Non-Rust stain**

Unlike steel strapping, it will not stain your products with rust.

### Accessories



**Buckles matching to different belts**

#### **1. Buckles:**

as displayed on the above picture

#### **2. Strapping cart**

It is designed to ensure that our polyester strapping stays clean and in perfect shape.

#### **3. Tensioners**

There are special tensioners to match to different belts, max 50mm in width.

#### **Attention:**

\* Only use unbroken tensioner; the label shows the property clearly.

Overload in use is prohibited

\* Do not tie up the belt.

\* Prevent the belt from cut damage by sharp edges and corners.

\* Do not distort the tensioner

\* Do not put the goods on the tensioner to avoid damage.

\* Do not use the tensioner for load lifting.



**UNITED-PORTS**  
One Call, Total Delivery

Contact us



**UNITED-PORTS**  
One Call, Total Delivery

**United-Ports (Shanghai) LTD.**

Add: No. 3293, South Hongmei Rd,  
Minhang District, Shanghai, China

TEL: 86-21-34634180

FAX: 86-21-34625293

Web: [www.cargo-protec.com.cn](http://www.cargo-protec.com.cn)

Mail: [info@united-ports.com](mailto:info@united-ports.com)