



CARGO-MOVE

—Round Sling



Round Sing is made of industrial polyester yarn materials plus high strength tubular external cloth with excellent wear-resistance. The colors conform to DIN-EN1492-2 standard. Each sling has plastic package with “CE” marked. Anti-wear sheath made by polyester material, keeps high-strength polyester fiber bundle in parallel condition.

Product Features

- *Soft, no hurt, protect worker’s hands
- *Light weight, large load
- *Long service life
- *Clear limit work force mark and color-coded, to improve safety performance.
- *Breaking force: 1:7
- *No knot use.
- *Working temperature range: -40 °C ~ 100 °C



Specification

Model	Capacity (kg)	Length (m)	Width (mm)	Pull 1.0	Fit 7° 2.0	Inclination Angle				Inclination Angle of one end fixed	
						7° ~45°	45°~60°	7° ~45°	45° ~60°	7° ~45°	7° ~45°
						1.4	1.0	0.7	0.5	0.8	1.2
Purple Yale											
RSD-01000 (0.5M)	1000	0.5	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (1T-1M)	1000	1	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (1.5M)	1000	1.5	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (1T-2M)	1000	2	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (2.5M)	1000	2.5	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (1T-3M)	1000	3	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (3.5M)	1000	3.5	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (1T-4M)	1000	4	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (1T-5M)	1000	5	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (5.5M)	1000	5.5	52	1000	2000	1400	1000	700	500	800	1120



RSD-01000 (1T-6M)	1000	6	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (1T-8M)	1000	8	52	1000	2000	1400	1000	700	500	800	1120
RSD-01000 (10M)	1000	10	52	1000	2000	1400	1000	700	500	800	1120
Green Yale											
RSD-02000 (0.5M)	2000	0.5	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (2T-1M)	2000	1	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (1.5M)	2000	1.5	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (2T-2M)	2000	2	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (2.5M)	2000	2.5	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (2T-3M)	2000	3	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (3.5M)	2000	3.5	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (2T-4M)	2000	4	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (4.5M)	2000	4.5	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (2T-5M)	2000	5	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (5.5M)	2000	5.5	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (2T-6M)	2000	6	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (2T-8M)	2000	8	57	2000	4000	2800	2000	1400	1000	1600	2240
RSD-02000 (10M)	2000	10	57	2000	4000	2800	2000	1400	1000	1600	2240
Yellow Yale											
RSD-03000 (3T-1M)	3000	1	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (1.5M)	3000	1.5	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (3T-2M)	3000	2	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (2.5M)	3000	2.5	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (3T-3M)	3000	3	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (3.5M)	3000	3.5	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (3T-4M)	3000	4	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (4.5M)	3000	4.5	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (3T-5M)	3000	5	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (5.5M)	3000	5.5	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (3T-6M)	3000	6	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (3T-8M)	3000	8	71	3000	6000	4200	3000	2100	1500	2400	3360
RSD-03000 (10M)	3000	10	71	3000	6000	4200	3000	2100	1500	2400	3360
Gray Yale											
RSD-04000 (4T-1M)	4000	1	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (1.5M)	4000	1.5	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (4T-2M)	4000	2	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (2.5M)	4000	2.5	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (4T-3M)	4000	3	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (3.5M)	4000	3.5	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (4T-4M)	4000	4	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (4.5M)	4000	4.5	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (4T-5M)	4000	5	76	4000	8000	5600	4000	2800	2000	3200	4480



RSD-04000 (5.5M)	4000	5.5	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (4T-6M)	4000	6	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (4T-8M)	4000	8	76	4000	8000	5600	4000	2800	2000	3200	4480
RSD-04000 (10M)	4000	10	76	4000	8000	5600	4000	2800	2000	3200	4480
Red Yale											
RSD-05000 (5T-1M)	5000	1	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (1.5M)	5000	1.5	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (5T-2M)	5000	2	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (2.5M)	5000	2.5	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (5T-3M)	5000	3	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (3.5M)	5000	3.5	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (5T-4M)	5000	4	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (4.5M)	5000	4.5	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (5T-5M)	5000	5	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (5.5M)	5000	5.5	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (5T-6M)	5000	6	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (5T-8M)	5000	8	86	5000	10000	7000	5000	3500	2500	4000	5600
RSD-05000 (10M)	5000	10	86	5000	10000	7000	5000	3500	2500	4000	5600
Brown Yale											
RSD-06000 (6T-2M)	6000	2	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (2.5M)	6000	2.5	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (6T-3M)	6000	3	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (3.5M)	6000	3.5	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (6T-4M)	6000	4	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (4.5M)	6000	4.5	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (6T-5M)	6000	5	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (5.5M)	6000	5.5	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (6T-6M)	6000	6	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (6T-8M)	6000	8	96	6000	12000	8400	6000	4200	3000	4800	6720
RSD-06000 (10M)	6000	10	96	6000	12000	8400	6000	4200	3000	4800	6720
Blue Yale											
RSD-08000 (8T-2M)	8000	2	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (2.5M)	8000	2.5	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (8T-3M)	8000	3	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (3.5M)	8000	3.5	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (8T-4M)	8000	4	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (4.5M)	8000	4.5	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (8T-5M)	8000	5	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (5.5M)	8000	5.5	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (8T-6M)	8000	6	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (8T-8M)	8000	8	112	8000	16000	11200	8000	5600	4000	6400	8960
RSD-08000 (10M)	8000	10	112	8000	16000	11200	8000	5600	4000	6400	8960



UNITED-PORTS
One Call, Total Delivery

Orange Yale											
RSD-10000 (2M)	10000	2	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (2.5M)	10000	2.5	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (3M)	10000	3	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (3.5M)	10000	3.5	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (4M)	10000	4	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (4.5M)	10000	4.5	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (5M)	10000	5	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (5.5M)	10000	5.5	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (6M)	10000	6	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (8M)	10000	8	112	10000	20000	14000	10000	7000	5000	8000	11200
RSD-08000 (10M)	10000	10	112	10000	20000	14000	10000	7000	5000	8000	11200

Purple Doleco											
1t,1m	1000	1	52	1000	2000	1400	1000	700	500	800	1120
1t,3m	1000	3	52	1000	2000	1400	1000	700	500	800	1120
1t,5m	1000	5	52	1000	2000	1400	1000	700	500	800	1120
Green Doleco											
2t,2m	2000	2	57	2000	4000	2800	2000	1400	1000	1600	2240
2t,3m	2000	3	57	2000	4000	2800	2000	1400	1000	1600	2240
2t,5m	2000	5	57	2000	4000	2800	2000	1400	1000	1600	2240
Yellow Doleco											
3t,2m	3000	1	71	3000	6000	4200	3000	2100	1500	2400	3360
3t,3m	3000	3	71	3000	6000	4200	3000	2100	1500	2400	3360
3t,5m	3000	5	71	3000	6000	4200	3000	2100	1500	2400	3360

Contact us



United-Ports (Shanghai) LTD.

Add: No. 3293, South Hongmei Rd,

Minhang District, Shanghai, China

TEL: 86-21-34634180

FAX: 86-21-34625293

Web: www.cargo-protec.com.cn

Mail: info@united-ports.com