



CARGO-TOOL

—Cordless Driver Drill



GDR12V



BOSCH Cordless Driver Drill

- *Suitable for turning into/ out the given size screw;
- *It is used to tight/ loose the given size nut;
- *Metal shell, lightweight design;
- *Superior impact structure, non-recoil;
- *Rotating lighting system;
- *Collapsible pothook.



GDR9.6V

Specification

Model	Non-load Speed (rpm)	Torque (N.m)	Chargeable Batteries	Standard Accessories	Weight (kg)
GDR9.6V	0-2800	105	9.6V/2Ahx 2	2 Batteries,Charger, Bi-screwdriver Bits	1.7
GDR12V	0-2800	125	12V/2Ahx 2	2 Batteries,Charger, Bi-screwdriver Bits	1.8
GDR14.4V	0-2800	135	14.4V/2Ahx 2	2 Batteries,Charger, Bi-screwdriver Bits	1.9

DeWalt Cordless Driver Drill

- *Suitable for drilling and jacking screw;
- *14-position adjustable torque setting;
- *Reversing switch electronic governor, high universality
- *Dynamic braking design and superior cooling fan, to improve the durability;
- *Two sets of 10mm self-tightening chuck, easy to use;
- *Compact size, lightweight design, allows continuous service.





Product Display



Specification

Model	Non-load Speed (rpm)	Torque (N.m)	Drill Hole Diameter (mm)	Clamp Size (mm)	Chargeable Batteries	Standard Accessories	Weight (kg)
DC600	0-200 /0-600	6	-	6.35	3.6V1.2Ah X1	Charger , Ni Cd battery bag, Screwdriver Bits	0.7
DW925K2	0-700	10	Steel 10 wood 19	1-10	7.2V1.3Ah X2	1hour Charger, 2 Batteries, Toolbox	1.3
DW926K2	0-300 /0-1100	19	Steel 10 Wood 22	1-10	9.6V1.3Ah X2	1hour Charger, 2 Batteries, Toolbox	1.5
DC750KA-A9	0-300 /0-1100	19	Steel 10 Wood 22	1-10	9.6V1.3Ah X2	1hour Charger, 2 Batteries, Toolbox	1.5
DW907K2	0-350 /0-1200	20	Steel 10 Wood 25	1-10	12V1.3Ah X2	1hour Charger, 2 Batteries, Toolbox	1.6
DC740KA-A9	0-350 /0-1200	20	Steel 10 Wood 25	1-10	12V1.3Ah X2	1hour Charger, 2 Batteries, Toolbox	1.6

Hitachi Cordless Driver Drill

- *Built-in fan-cooled motor, high overload resistance;
- * Reversing rotary switch button, compact size;
- *Comfortable rubber grip;
- *DS14DVB: electric feedback, speed regulator switch
- *DS7DF: screwdriver equipped on the driver, 22-position adjustable torque setting;
- *WH12DAF2: pothook angle is adjustable.





UNITED-PORTS
One Call, Total Delivery

Product Show



DN10DSA



DS7DF



WH12DAF



WH12DAF



DS14DVB

Specification

Model	Non-load Speed (rpm)	Torque (N.m)	Drill Hole Diameter (mm)	Clam Size (mm)	Chargeable Battery	Standard Accessories	Weight (kg)
DN10DSA	600	8	Steel10 Wood10 Wood Screw 4.5x20	10	7.2V1.4Ah	Battery (FEB7s), Charger (UC7SD), Bit , Carrying Case	1.1
DS7DF	0-600	8	Steel 10 Wood 15 Wood Screw 5.1x32 Machine Screw 6	10	7.2V1.4Ah	Battery (FEB7s), Charger (UC7SD), Bit , Carrying Case	1.2
WH12DAF	0-2200	-	Bolt 5-12 High Strength Bolt 4-10 Machine Screw 4-8	1/4" hexagon	12V1.4Ah	Battery (EB1214L) Charger (UC12SD) Carrying Case	1.6
WH12DAF2	0-2500	88	Bolt 5-12 High Strength Bolt 4-10 Machine Screw 4-8	1/4" hexagon	12V1.4Ah	Battery (EB1214L) Charger (UC12SD) Carrying Case	1.6
DS14DVB	High 0-1200 Low 0-350	39	Steel 13 Wood27 Wood Screw 8x50 Machine Screw 6	13	14.4V3Ah	Battery (EB14B) Charger (UC24YFA) Bit, Carrying Case	2.1

Contact us



UNITED-PORTS
One Call, Total Delivery

United-Ports (Shanghai) LTD.

Add:No.3293, South Hongmei Rd,
Minhang District,Shanghai,China

TEL:86-21-34634180

FAX:86-21-34625293

Web: www.cargo-protec.com.cn

Mail: info@united-ports.com