

CARGO-TOOL —Cordless Impact Drills





DC981K-A9

1. BOSCH Cordless Impact Drills

- *Combined with function of impact drill, electric drill and hammer drill.
- *High torque is applicable to drill hole diameter and big screw.
- *Simplify carbon brush replacing system.
- *Electronic stepless speed adjust, forward/reverse working.
- *Double insulation.





Specification

GSB 18 VE-2

Model	No-load Rev (rpm)	Impact Frequency (Time/minute)	Max. N.m	Drill Hole Diameter (mm)	Chargeable Battery	Standard Accessories	Weight (kg)
GSB 18 VE-2	High 0-1800 Low 0-500	0-21000	70	Concrete,14 Rolled Steel13 Wood35	18V/2Ah x 2	2 batteries, Charger, Assist Handle, Screwdriver head, Currency Collet	2.6

2. DEWEI XRP-Series Cordless Impact Drills

*Self-locked principal axis

Specification

- *Forward/reverse, third speed/impingement rate setting.
- *22 gears torque setting to ensure the best precision of binding bc





DC988K-A9

Model	No-load Rev (rpm)	Impact Frequency (Time/minute)	Max. Torque (N.m)	Drill Hole Diameter (mm)	Chargeable battery	Standard Accessories	Weight (kg)
						One-hour Charger,	
DC981K	High 0-1800	High 0-30600		Metal, 13	12V/2.4Ah	1 battery,	
	Middle 0-1450	Middle 0-23800	45	Stone, 13		Tool box,	2.3
-A9	Low 0-450	Low 0-7650		Wood, 38	x1	Dual-end	
						Screwdriver bits	




DC984K -A9	High 0-1800 Middle 0-1450 Low 0-450	High 0-30600 Middle 0-23800 Low0-7650	47	Metal 13 Stone 14 Wood 38	14.4V/2.4Ah x1	One-hour Charger, 1 battery, Tool box, Dual-end Screwdriver bits	2.4
DC988K -A9	High 0-2000 Middle 0-1450 Low 0-450	High 0-34000 Middle 0-24650 Low0-7650	52	Metal, 13 Stone, 16 Wood, 50	18V/2.4Ah x1	One-hour Charger, 1 battery, Tool box, Dual-ends Screwdriver bits	2.7

3. MAITAIBAO Cordless Impact Drills

*Durable machine shell, strengthened plexiglass, breakproof, anti-torture.

- *New metal level-3 face gear, extend service life.
- *Ajustable V-electronic wave stepless reverse speed, lowest/highest speed is alloed.



- *Rubber handle, comfortable operation.
- *Quick-change unlock drill head clamp, no need tools.



Model	No-load Rev (rpm)	Impact Frequency (Time/minute)	Max. Torque (N.m)	Drill Hole Diameter (mm)	Clamp Size (mm)	Chargeable Battery	Standard Accessories	Weight (kg)
SBP 18 Plus	High 0-1400 Low 0-400	Max. 22400	Soft 30 Hard 65	Rolled steel,13 Wood50	1.5-13	18V/2.0Ah 45 minutes fast-rush air cold sink charger	fast change unlock drill head clamp, Side handle, Charger Chargeable battery, Portable box	3.0

4. HITACHI Cordless Impact Drills

*Variable speed, electronic brake system, dual-speed gear wheel, forward/converse running and inner installed high strength anti-overload motor with fan.

- *DV12DV has three work modes: drill hole, impact drill and on-off screwdriver. 22 grade torque adjustment.
- *DV12DV has two work modes: drill hole and impact drill, changeable carbon brush.

















DV24DV

DV12DV

DV14DL

Specification

	No-load	Impact	Max.	Drill Hole	Clamp	Chargeable	Standard	Weight
Model	Rev	Frequency	Torque	Dameter	Size	Battery	Accessories	_
	(pm)	(Time/minute)	(N.m)	(mm)	(mm)	Battery	Accessories	(kg)
			24	Brick Stone10,				1.9
				Rolled steel10		12V/1.4Ah	battery,	
DV12DV	High 0-1250	High 0-18750		Wood 18	10		charger,	
טעוצטע	low 0-350	Low 0-5250		wood screw(diameter			bits,	
				x length) 5.1x32			portable box	
				mechanical screw 6				
	High 0-1750 low 0-400	High 0-31500 Low 0-7200	65	Rolled steel 13,		24V/2.0Ah	Battery,	1.9
DV24DV				Brick Stone20	13		charger,	
DV24DV					13		bits,	
				concrete20,wood 38			portable box	
				Brick Stone14,			battery,	
	High 0 1750	0-1750 High 0-21000 v0-400 Low 0-4800	1.5-7	low carbon steel 13			charger,	
DV14DL	low v0-400			soft wood45,	13	14.4V	side handle	2.1
				wood screw 8x75			bits,	
				mechanical screw 6,			portable box	

5. MAKITA Cordless Impact Drills

- *Light deadweight, tight structure, stable performance.
- *Lead in power and rev among same industries.

^{*}Suitable for installation industry and metal self-tapping screw.





Specification

Model	No-load Rev (rpm)	Impact Frequency (Time/minute)	Max. Torque (N.m)	Drill hole Diameter (mm)	Clamp Size (mm)	Chargeabl e battery	Standard Accessories	Weight (kg)
6980FDWAE	0-2600	0-3200	125	Rolled steel13 wood50	1.5-13	18V/2.0Ah 45 minutes fast-rush air cold sink charger	fast-changing unlock drill head clamp, side handle, charger, chargeable battery, Portable box	3.0



Contact us



United-Ports (Shanghai) LTD.

Add:No.3293, South Hongmei Rd, Minhang District,Shanghai,China TEL:86-21-34634180

Web: www.cargo-protec.com.cn
Mail: info@united-ports.com

FAX:86-21-34625293