



CARGO-TOOL
—Fiberglass Tapes



STARRETT:

533 series shell: yellow, polyethylene material.

TAJIMA S Series:

- *Common mapping, road, railway and electronic engineer.
- *Dual-color scale on both sides.
- *Standard tension: 20N/20°C.



533-30CM



533-50CM

TAJIMA L Series:

- *Common mapping, road, railway and electronic engineer.
- *Dual-color scale on both sides.
- *Racing-proof
- *Standard tension: 20N/20°C.



TAJIMA S Series



TAJIMA L Series

TAJIMA R Series:

- *Common mapping, road, railway and electronic engineer.
- *Shell: ABS resin, cross reel.
- *Dual-color scale on both sides.
- *Standard tension: 20N/20°C.

Westward Fiberglass Tape:

- *Tapeline recover speed is 3 times of common tapeline.
- *Impact resistant shell, comfortable rubber handbar.
- *Foldable fast recover encircle handbar.
- *40 fiberglass lines, high tensile strength.



TAJIMA R Series



Westward Series



STANLEY Fiberglass Imperial/Metric Long tapeline

- *1/2" wide tapeline strip, dual-side imperial/metric scale, clear and good readability.
- *Impact resistant, ABS shell, shockproof.
- *PVD tapeline strip, easy clean
- *Rubber handbar, comfortable hold.
- *Precision: Class III



STANLEY Fiberglass Imperial/Metric Long tapeline—Shell type

- *1/2" width tapeline strip, dual-side imperial/metric scale, clear and good readability.
- *Impact resistant, ABS shell, shockproof.
- *PVD tapeline strip, easy clean
- *Precision: Class III

STANLEY Shell type

STANLEY Dish Type

Specification

Model	Brand	Metric Length (m)	Tapeline strip Width (mm)
533-50CM	Starrett	50	13
533-30CM	Starrett	30	13
S-10U	TAJIMA	10	13
S-20U	TAJIMA	20	13
S-30U	TAJIMA	30	13
S-50U	TAJIMA	50	13
L-20U	TAJIMA	20	13
L-30U	TAJIMA	30	13
L-50U	TAJIMA	50	13
R-30U	TAJIMA	30	13
R-50U	TAJIMA	50	13
R-100U	TAJIMA	100	13
S-10U	Westward	30	12.5
S-20U	Westward	90	12.5
34-791-20	STANLEY	30	13
34-794-20	STANLEY	60	13
34-260-20	STANLEY	15	13
34-262-20	STANLEY	30	13
34-263-20	STANLEY	50	13



UNITED-PORTS
One Call, Total Delivery

Contact us



UNITED-PORTS
One Call, Total Delivery

United-Ports (Shanghai) LTD.

Add: No. 3293, South Hongmei Rd,
Minhang District, Shanghai, China

TEL: 86-21-34634180

FAX: 86-21-34625293

Web: www.cargo-protec.com.cn

Mail: info@united-ports.com